CHEMICALS REGISTERED OR LEGALLY PERMITTED FOR USE AGAINST KEY OLIVE PESTS AND DISEASES (August 2020)

TARGET PEST OR DISEASE	ACTIVE CONSTITUENT	MoA GROUP (I)nsecticide (F)ungicide	PRODUCT(S)	REGISTERED OR PERMIT	CONDITIONS OF USE
Ants	Pyriproxyfen	7C (I)	DISTANCE PLUS ANT BAIT®	Registered	Max 3 applications/season, min 3 months apart between each one. No WHP.
	Chlorpyrifos	1B (I)	various	PER14575 Until Mar 2022	Apply no more than 2 times /season. No WHP, but no grazing (Ground, butt treatments only).
Black scale	Emulsifiable Botanical Oil	9B (I)	ECO-OIL® MITICIDE/INSECTICIDE BOTANICAL OIL CONCENTRATE, POOP®	Registered	No WHP.
	Paraffinic oil, Petroleum spray oil	9B (I)	isoCLEAR HPO, TRUMP®, SACOA BIOPEST®	Registered	WHP 1 day.
	Pyriproxyfen	7C (I)	ADMIRAL®, various others	Registered	Max 2 applications/season. WHP 7 days.
Olive lace bug	Clothianidin	4A (I)	SAMURAI®	PER14897 Until Mar 2023	1 application/season. Add MAXX Organosilicone surfactant. WHP 56 days.
	Potassium soap		NATRASOAP®	PER14414 Until Sep 2023	Apply 2 treatments 7–10 days apart. Organically acceptable. No WHP.

	Dimethoate	1B (I)	ROGOR®, various others	PER13999	Max 4 applications/season.
				Until Mar 2021	2 sprays, 7–14 days apart.
					Not to be used for table olives.
					WHP 6 weeks.
	Esfenvalerate	3A (I)	SUMI-ALPHA FLEX®, various	PER86677	Max 4 applications/season to fruiting
			others	Until Dec 2023	trees, ≥ 14 days apart.
					WHP 14 days.
	Pyrethrins	3A (I)	PYGANIC, and others	PER81870	Max 6 applications/season, ≥ 14 day
				Until Oct 2024	re-treatment interval.
					Use different MoA product after 2
					applications.
					WHP 1 day.
Green	Dimethoate	1B (I)	ROGOR®, various others	PER13999	Max 4 applications/season.
vegetable bug,				Until Mar 2021	2 sprays 7–14 days apart.
Rutherglen bug					Not to be used for table olives.
					WHP 6 weeks.
Weevils	Alpha-cypermethrin	3A (I)		PER14791 Until	Max 2 applications/season to trees of
				Nov 2021	fruit bearing age.
					No WHP, but no grazing (Ground, butt
					treatments only).
Anthracnose	Azoxystrobin	11 (F)	Various	Registered	Max 2 applications/season >21 days
					apart.
					WHP 21 days.
	Metiram & Pyraclostrobin	M3+11 (F)	AERO®	PER14908 Until Jul	Max 2 applications/season >21 days
				2024	apart.
					WHP 21 days.

	Mancozeb	M3 (F)	Various	PER88358 Until Jul	Max 4 applications/season >14 days
				2023	apart WHP 14 days
	Copper (cupric hydroxide,	M1 (F)	Various	PER11360 Until	WHP 1 day
	cuprous oxide, tribasic			Nov 2021	Also for other fruit rots
	copper sulphate)				Generally organically acceptable
	Copper oxychloride	M1 (F)	Various	Registered	WHP 1 day
					Also for other fruit rots
					May not be organically acceptable
	Copper oxychloride +	M1	AIRONE WG FUNGICIDE	Registered	WHP 1 day
	copper hydroxide				Also for other fruit rots
					May not be organically acceptable
Olive knot	Copper oxychloride +	M1	AIRONE WG FUNGICIDE	Registered	WHP 1 day
	copper hydroxide				Also for other fruit rots
					May not be organically acceptable
Peacock spot,	Copper (cupric hydroxide,	M1 (F)	Various	PER11360	WHP 1 day
Grey mould,	cuprous oxide, tribasic			Until Mar 2017	Generally organically acceptable
Leaf spots	copper sulphate)				
	Copper oxychloride	M1 (F)	Various	Registered	WHP 1 day
					May not be organically acceptable
	Copper oxychloride +	M1	AIRONE WG FUNGICIDE	Registered	WHP 1 day
	copper hydroxide				Also for other fruit rots
					May not be organically acceptable
Phytophthora,	Metham	8 (F)	Ken-Pam 423 fumigant	Registered	Pre-plant soil treatment.
Verticillium Wilt					14-30 day minimum interval between
					treatment and planting

Disclaimer: Horticulture Innovation Australia Limited (Hort Innovation) makes no representations and expressly disclaims all warranties (to the extent permitted by law) about the accuracy, completeness, or currency of information in Olive Best Practice Manual. Reliance on any information provided by Hort Innovation is entirely at your own risk. Hort Innovation is not responsible for, and will not be liable for, any loss, damage, claim, expense, cost (including legal costs) or other liability arising in any way, including from any Hort Innovation or other person's negligence or otherwise from your use or non-use of the Manual or from reliance on information contained in the material or that Hort Innovation provides to you by any other means.



This project has been funded by Hort Innovation using the olive research and development levy and funds from the Australian Government. For more information on the fund and strategic levy investment visit horticulture.com.au